

			pH Value	Electrical Conductivity @ 25°C	Suspended Solids (SS)	Nitrite as N	Nitrate as N	Nitrite + Nitrate as N	Total Kjeldahl Nitrogen as N	Total Nitrogen as N	Total Phosphorus as P	Reactive Phosphorus as P	Oil & Grease	Total Organic Carbon
Date	Dam	Purpose	pH Unit	µS/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
6/05/2009	SB2	Quarterly	8.58	376	17	<0.01	0.02	0.02	0.4	0.4	0.01	<0.01	<5	
6/05/2009	SB6	Quarterly	8.24	493	12	0.09	6.08	6.17	1.4	7.6	<0.01	<0.01	<5	
6/05/2009	SB9	Quarterly	8.14	164	100	<0.01	0.64	0.64	0.3	0.9	0.05	0.02	<5	
6/05/2009	SB10	Quarterly	8.12	214	47	<0.01	0.09	0.09	0.6	0.7	0.08	0.02	<5	
6/05/2009	SD4	Quarterly	9.07	270	10	<0.01	<0.01	<0.01	1.1	1.1	0.13	0.1	<5	
6/05/2009	SD5	Quarterly	9.03	329	29	<0.01	<0.01	<0.01	1.3	1.3	0.08	0.02	<5	
6/05/2009	VWD1	Quarterly	8.4	1080	5	0.04	3.97	4	0.9	4.9	<0.01	<0.01	<5	
6/05/2009	VWD2	Quarterly	7.9	1220	20	0.28	6.24	6.52	2.6	9.1	0.02	<0.01	<5	
26/08/2009	SB2	Quarterly	8.16	389	6	<0.01	0.01	0.01	0.5	0.6	0.01	<0.01	<10	
26/08/2009	SB6	Quarterly	7.63	835	88	0.03	0.01	0.04	23.2	23.2	1.12	<0.01	<10	
26/08/2009	SB9	Quarterly	7.78	177	107	0.02	0.65	0.67	1.2	1.8	0.22	<0.01	<10	
26/08/2009	SB10	Quarterly	7.88	282	60	0.01	<0.01	0.02	3.5	3.5	0.32	0.07	<10	
26/08/2009	SD4	Quarterly	8.7	252	16	<0.01	<0.01	<0.01	1	1	0.1	<0.01	<10	
26/08/2009	SD5	Quarterly	8.71	372	312	<0.01	<0.01	<0.01	3.6	3.6	0.33	<0.01	<10	
26/08/2009	VWD1	Quarterly	8.29	977	14	0.01	1.67	1.68	1.2	2.9	<0.01	<0.01	<10	
26/08/2009	VWD2	Quarterly	8.48	932	257	<0.01	0.04	0.04	0.6	0.6	0.04	<0.01	<10	
10/11/2009	SB2	Quarterly	---	---	---	---	---	0.02	1.4	1.4	0.13	---	<5	
10/11/2009	SB6	Quarterly	7.61	1980	92	<0.01	0.06	0.06	9.7	9.8	1.09	0.32	<5	
10/11/2009	SB9	Quarterly	7.95	179	128	<0.01	0.22	0.22	3.1	3.3	0.4	0.02	<5	
10/11/2009	SB12	Quarterly	8.24	639	160	<0.01	<0.01	<0.01	1.1	1.1	0.1	0.03	<5	
10/11/2009	SD4	Quarterly	9.16	241	48	<0.01	<0.01	<0.01	1.4	1.4	0.1	0.01	<5	
10/11/2009	SD5	Quarterly	8.65	458	136	<0.01	0.03	0.03	3.5	3.6	0.24	<0.01	<5	
10/11/2009	VWD1	Quarterly	8.27	1010	12	0.01	2.42	2.44	1	3.4	0.04	<0.01	<5	
6/01/2010	SB9	Discharge	7.41	122	30								<5	9
6/01/2010	WCD	Discharge	8.16	668	54								<5	4
6/01/2010	WCU	Discharge	7.87	1270	18								<5	13
6/01/2010	QCD	Discharge	7.71	687	10								<5	5
8/02/2010	SB2	Non-Rout	8.02	413	44								<5	
8/02/2010	SB9	Non-Rout	8.21	142	38								5	
15/02/2010	SB2	Non-Rout	8	338	30	0.01	0.09	0.1	0.9	1	0.12	0.04	<5	
15/02/2010	SB9	Discharge	7.9	129	138	<0.01	0.1	0.1	1.4	1.5	0.18	<0.01	<5	
15/02/2010	SB10	Non-Rout	7.93	180	464	0.02	1.6	1.62	2.8	4.4	0.32	0.11	<5	
15/02/2010	WCD	Discharge	7.82	118	62	0.04	3.87	3.91	1.9	5.8	0.11	0.05	<5	

MW2

Sample Date	Depth to Ground - metres	pH -field	Electrical Conductivity uS/cm - field	Nitrates_ mg N/L	Total Nitrogen_ mg/L	Total Phosphorus mg/L	Phosphorus - reactive mg/L
Jun-05	24.2	No access					
Jul-05	24.0	7.1	940	5.4	5.3	0.14	0.06
Aug-05	24.9	6.8	940	5.8	5.5	0.90	0.14
Sep-05	25.0	6.9	990	5.5	5.2	0.08	0.06
Oct-05	25.2	7.1	1030	5.7	5.8	0.22	0.08
Nov-05	25.5	6.9	1050	6.3	6.4	0.14	0.12
Dec-05	25.9	7.3	990	6.2	6.6	0.20	0.12
Jan-06	25.9	7.2	1010	7.0	6.5	0.06	0.04
Feb-06	26.3	7.0	1020	5.9	7.0	0.10	0.04
Mar-06	31.3	7.1	990	6.6	6.9	0.12	0.08
Apr-06	26.4	7.3	1200	6.4	6.9	0.29	0.05
Jul-06	26.7	7.1	1000	6.9	7.2	0.08	0.05
Oct-06	27.3	7.0	1010	6.9	7.3	0.08	0.02
Jan-07	27.6	6.9	1020	7.2	7.4	0.12	0.05
Apr-07	27.9	7.0	1020	6.8	7.4	0.11	0.05
Jul-07	Sampling postponed due to unsafe access following wet weather						
Aug-07	28.1	6.8	1030	7.0	7.6	0.08	0.03
Nov-07	27.2	7.2	970	5.5	7.0	0.40	0.09
Jan-08	27.2	7.3	1020	7.6	7.4	0.15	0.05
Apr-08	27.22	7.1	1020	7.4	7.9	0.09	0.06
Jul-08	27.48	7.2	1020	6	7.5	0.06	0.05
Oct-08	N/A	7.1	1010	7.4	8	0.08	0.07
Jan-09	N/A	7.1	970	5.6	6.8	0.07	0.05
Apr-09	No sample taken - contract change over						
Jun-09	N/A	7.2	930	N/T	7.6	0.02	0.03
Aug-09	N/A	7.5	980	Testing for these analytes not undertaken			
Nov-09	26.35	6.7	1020	Testing for these analytes not undertaken			
Feb-10	26.55	7.57	1027	6.07	7.1	0.03	0.05

MW4B

Sample Date	Depth to Ground - metres	pH -field	Electrical Conductivity uS/cm - field	Nitrates_ mg N/L	Total Nitrogen_ mg/L	Total Phosphorus mg/L	Phosphorus - reactive mg/L
Jun-05							
Jul-05							
Aug-05							
Sep-05							
Oct-05							
Nov-05							
Dec-05							
Jan-06							
Feb-06							
Mar-06							
Apr-06							
Jul-06	7.88	7.2	1000	<0.2	69.0	6.6	3.40
Nov-06	9.71	6.7	2670	Sample contaminated			
Jan-07	9.03	Dry					
Apr-07	9.63	7.2	1040	3.40	34.0	0.08	0.04
Jul-07	Sampling postponed due to unsafe access following wet weather						
Aug-07	9.49	7.0	910	0.04	1.8	0.04	0.02
Nov-07	9.39	7.4	810	0.03	0.34	0.8	<0.01
Jan-08	9.51	Very slow recharge of bore					
Apr-08	9.14	8.0	1040	0.03	6.8	0.82	0.12
Jul-08	9.35	7.9	930	<0.1	6.5	0.03	<0.01
Oct-08	9.62	Dry					
Jan-09	9.48	Dry					
Apr-09	No sample taken - contract change over						
Jun-09	9.88	7.9	990	Testing for these analytes not undertaken			
Aug-09	9.86	7.5	1070	Testing for these analytes not undertaken			
Nov-09	9.97	7.42	1080	Testing for these analytes not undertaken			
Feb-10	10.24	7.7	1078	1.45	2.2	0.02	<0.01

MW7

Sample Date	Depth to Ground - metres	pH -field	Electrical Conductivity uS/cm - field	Nitrates_ mg N/L	Total Nitrogen_ mg/L	Total Phosphorus mg/L	Phosphorus reactive mg/L
Jun-05	4.83	6.0	490	1.3	1.5	0.14	0.12
Jul-05	4.44	6.9	490	1.3	1.5	0.12	0.07
Aug-05	4.47	7.0	520	1.4	1.4	0.08	0.08
Sep-05	4.44	6.8	520	1.4	1.4	0.12	0.08
Oct-05	4.36	7.1	540	1.3	1.5	0.24	0.10
Nov-05	4.44	6.8	530	1.5	1.4	0.16	0.10
Dec-05	4.38	6.8	520	1.2	1.3	0.26	0.14
Jan-06	4.38	7.5	890	2.2	2.4	0.10	0.02
Feb-06	4.42	6.8	500	1.0	1.3	0.12	0.80
Mar-06	4.56	6.9	510	1.1	1.3	0.10	0.80
Apr-06	4.51	7.0	380	0.98	1.1	0.12	0.07
Jul-06	4.35	6.9	520	1.4	1.4	0.10	0.08
Oct-06	4.39	7.1	510	1.1	1.2	0.09	0.03
Jan-07	4.73	6.7	530	1.3	1.4	0.15	0.07
Apr-07	4.60	6.7	550	1.4	1.6	0.12	0.06
Jul-07	Sampling postponed due to unsafe access following wet weather						
Aug-07	4.41	6.3	540	1.4	1.6	0.07	0.04
Nov-07	4.36	7.2	520	1.4	1.3	0.37	0.05
Jan-08	4.35	6.8	520	1.4	1.2	0.52	0.06
Apr-08	4.45	7	530	1.1	1.5	0.52	0.07
Jul-08	4.41	6.8	540	1.3	1.3	0.69	0.06
Oct-08	4.35	7	520	1.3	1.5	0.09	0.07
Jan-09	4	8.1	510	1.1	1.5	0.1	0.07
Apr-09	No sample taken - contract change over						
Jun-09	4.28	6.9	510	N/T	1.7	0.02	0.04
Aug-09	4.43	7.7	520	Testing for these analytes not undertaken			
Nov-09	4.27	7.91	590	Testing for these analytes not undertaken			
Feb-10	4.42	7.79	561	1.36	1.4	0.06	0.05

MW9

Sample Date	Depth to Ground - metres	pH -field	Electrical Conductivity uS/cm - field	Nitrates_ mg N/L	Total Nitrogen_ mg/L	Total Phosphorus mg/L	Phosphorus - reactive mg/L
Jun-05	Site Not Installed						
Jul-05	Site Not Installed						
Aug-05	Site Not Installed						
Sep-05	Site Not Installed						
Oct-05	13.78	6.7	1230	17.0	18.0	0.04	0.02
Nov-05	13.53	6.9	1160	9.2	9.0	0.12	0.10
Dec-05	12.55	7.4	1080	14.0	15.0	0.26	0.09
Jan-06	11.72	7.2	2080	25.0	24.0	0.54	0.10
Feb-06	12.86	7.2	980	9.7	11.0	0.12	0.08
Mar-06	13.06	7.2	960	10.0	11.0	0.08	0.06
Apr-06	13.42	7.3	1100	9.2	12.0	0.22	0.33
Jul-06	13.95	7.2	990	8.9	9.6	0.19	0.04
Oct-06	14.46	7.2	970	7.8	8.4	0.10	0.03
Jan-07	14.84	6.8	1120	14.0	14.0	0.07	0.02
Apr-07	14.67	6.9	1120	12.0	12.0	0.04	<0.01
Jul-07	Sampling postponed due to unsafe access following wet weather						
Aug-07	14.25	6.9	1040	8.3	8.9	0.45	<0.01
Nov-07	13.8	7.0	1070	11	10	0.03	<0.01
Jan-08	12.88	7.1	940	6.4	6.2	0.02	<0.01
Apr-08	13.8	Pump Failure					
Jul-08	14.05	7	1010	8.2	8.5	0.04	<0.01
Oct-08	12.89	7	870	4.2	4.5	0.03	0.03
Jan-09	12.55	7.2	770	5.3	6.2	0.02	0.04
Apr-09	No sample taken - contract change over						
Jun-09	14.68	7.2	860	N/T	8.8	<0.01	<0.01
Aug-09	15.17	7.2	900	Testing for these analytes not undertaken			
Nov-09	15.41	7.17	905	Testing for these analytes not undertaken			
Feb-10	14.3	7.78	885	2.55	3.2	0.04	<0.01

MW10

Sample Date	Depth to Ground - metres	pH -field	Electrical Conductivity uS/cm - field	Nitrates_ mg N/L	Total Nitrogen_ mg/L	Total Phosphorus mg/L	Phosphorus - reactive mg/L
Jun-05	17.00	6.8	2120	22	24	0.04	0.02
Jul-05	17.29	6.9	2070	23	23	0.08	0.01
Aug-05	14.26	7.1	2030	23	23	0.04	0
Sep-05	17.75	6.8	2240	23	22	0.06	0.04
Oct-05	17.28	7.1	2210	22	23	0.08	0.04
Nov-05	18.31	6.8	2180	25	25	0.08	0.04
Dec-05	17.32	7.4	2180	23	23	0.24	0.08
Jan-06	17.61	7.1	2050	25	23	0.12	0.02
Feb-06	17.66	7.1	2060	22	24	0.08	0.06
Mar-06	17.5	7.1	2090	23	24	0.04	0.04
Apr-06	17.95	7.2	1800	23	27	0.07	0.01
Jul-06	17.46	7.4	1970	24	25	3.70	0.03
Oct-06	17.38	7.1	2040	22	24	0.06	0.01
Jan-07	17.25	7.2	2040	23	24	0.09	0.02
Apr-07	18.20	7.6	1920	23	24	0.06	<0.01
Jul-07	Sampling postponed due to unsafe access following wet weather						
Aug-07	17.38	7.2	1970	22	23	0.02	<0.01
Nov-07	17.80	7.6	1890	24	24	0.01	<0.01
Jan-08	18.76	7.3	1950	24	24	0.01	<0.01
Apr-08	17.91	7.4	1850	21	23	0.02	0.02
Jul-08	17.85	7.3	2300	24	24	0.05	<0.01
Oct-08	N/A	7.8	1810	20	22	0.04	0.03
Jan-09	N/A	7.5	1920	20	23	0.02	0.02
Apr-09	No sample taken - contract change over						
Jun-09	N/A	7.5	1670	N/T	18.8	<0.01	<0.01
Aug-09	N/A	7.3	1940	Testing for these analytes not undertaken			
Nov-09	18.86	7.3	2007	Testing for these analytes not undertaken			
Feb-10	18.43	7.48	1875	20.9	21.4	<0.01	<0.01

MW12

Sample Date	Depth to Ground - metres	pH -field	Electrical Conductivity uS/cm - field	Nitrates_ mg N/L	Total Nitrogen_ mg/L	Total Phosphorus mg/L	Phosphorus - reactive mg/L
Jun-05	7.89	6.6	880	1.8	2.0	0.10	0.10
Jul-05	7.96	7.1	870	1.8	2.0	1.00	0.03
Aug-05	7.73	7.2	850	1.8	1.8	0.06	0.03
Sep-05	7.42	7.1	900	1.8	1.8	0.14	0.06
Oct-05	7.11	7.3	930	1.9	2.0	0.22	0.08
Nov-05	7.12	7.0	940	2.6	2.1	0.16	0.08
Dec-05	6.93	7.4	930	2.0	2.2	2.30	0.12
Jan-06	6.97	7.2	910	2.2	2.5	0.10	0.04
Feb-06	7.02	7.2	940	1.8	2.3	0.10	0.06
Mar-06	7.16	7.3	910	2.1	2.2	0.08	0.08
Apr-06	7.29	7.4	1000	2.0	2.1	2.50	0.05
Jul-06	7.64	7.2	970	2.4	2.5	0.13	0.06
Oct-06	8.02	7.2	920	2.3	2.4	0.07	0.02
Jan-07	8.16	7.2	940	2.3	2.4	0.20	0.06
Apr-07	8.70	7.1	930	2.4	2.5	0.16	0.04
Jul-07	Sampling postponed due to unsafe access following wet weather						
Aug-07	8.55	6.9	930	2.3	2.5	0.05	0.02
Nov-07	7.64	7.3	910	2.4	2.6	0.18	0.02
Jan-08	7.78	7.3	950	2.3	2.2	0.21	0.05
Apr-08	7.78	7.3	930	2.1	2.4	0.31	0.04
Jul-08	7.32	7.3	930	2.1	2.3	0.08	0.03
Oct-08	Pump Failure						
Jan-09	No access						
Apr-09	No sample taken - contract change over						
Jun-09	N/A	7.1	500	N/T	2	<0.01	0.03
Aug-09	N/A	7.6	570	Testing for these analytes not undertaken			
Nov-09	N/A	7.56	529	Testing for these analytes not undertaken			
Feb-10	N/A	7.78	602	0.96	1.1	0.03	0.04

